V2 PLUS VISOR CE

WVI00036

EN

Scratch-resistant and anti-fog polycarbonate eye protection. Visor Screw Set is included. Can be worn with corrective glasses.

Compatible with KASK Superplasma helmet series.

MOUNTING PARTS

WVI00036
V2 PLUS VISOR

WAC00005
SCREW SET FOR VISOR

TECHNICAL DETAILS

STANDARD
EN ISO 16321
EN 14458
CE

ANSI Z87.1

CATEGORY
II

MATERIAL
Polycarbonate

ENHANCED OPTICAL PERFORMANCE
√

WEIGHT
80 g

LENGTH
110 mm

PANORAMIC LENS
Developed to maximize visibility with minimal viewing distortion.

ANTI-FOG
Equipped with an anti-fog treatment to increase wearer visibility in a variety of conditions.

ABRASION AND SCRATCH RESISTANCE
Lens treatment designed with protection from abrasion and scratches, increased durability and viewing clarity.

CUT PROOF EDGE
Eye shield edge detail designed with a cut proof edge for enhanced wearer safety.

COMPATIBLE WITH GLASSES
Designed for use with corrective glasses.

DRIP PROOF UPPER CONTOUR
Rubber edge protects eyes from liquid and debris from entering the visor.

EXTREME TEMP IMPACT RESISTANCE
Able to withstand impacts at extreme temperatures for use in a variety of environments.

CE MARKINGS

CODE	COLOR	MARKING
WVI00036-500	CLEAR	CE | EN14458:2018 | KASK | V2 PLUS | MM/YY | = | BT | 2C-1,2 | -30°C+50°C | KASK | UL1,2 | DT | 1 | -5°C+55°C | K | N | CH | 7 | 16321 | KASK | DT | 1-M | -5°C+55°C
WVI00036-510	SMOKE	CE | EN14458:2018 | KASK | V2 PLUS | MM/YY | = | BT | 5-1,4 | -30°C+50°C | KASK | GL1 | DT | 1 | -5°C+55°C | K | N | CH | 7 | 16321 | KASK | DT | 1-M | -5°C+55°C
WVI00036-520	SILVER MIRROR	CE | EN14458:2018 | KASK | V2 PLUS | MM/YY | = | BT | 5-2,5 | -30°C+50°C | KASK | GL2 | DT | 1 | -5°C+55°C | K | N | CH | 7 | 16321 | KASK | DT | 1-M | -5°C+55°C

ANSI MARKINGS

CODE	COLOR	MARKING
WVI00036-500	CLEAR	ANSI Z87 I + I U6 I X I D3
WVI00036-510	SMOKE	ANSI Z87 I + I U6 I L1.5 I X I D3
WVI00036-520	SILVER MIRROR	ANSI Z87 I + I U6 I L2.5 I X I D3

ADDITIONAL INFORMATION

GUARANTEE
3 years starting from the date of purchase.

LIFE SPAN
10 years starting from the date of manufacture. Life span depends on various factors that can cause deterioration such as sudden temperature changes, the amount of exposure to direct sunlight and the intensity of use. Altered vision and scratches are elements that signal the need to check for deterioration of the visor.

CLEANING
Clean only with water and mild soap. Allow to air dry. Do not use chemical detergents, solvents, petrol powders as they are too aggressive and could lower the structural resistance of the visor.

PRODUCT OF ITALY

3 YEARS GUARANTEE

10 YEARS LIFE SPAN

SCAN FOR COMPLETE COLLECTION

© KASK S.p.A. All rights reserved.

KASK S.p.A. Via Variante di Cicola 6/E, 24060 Carobbio degli Angeli (BG) Italy
tel + 39 0354427497 · info@kask.com · kask-safety.com

COMPANY WITH MANAGEMENT SYSTEM CERTIFIED BY DNV
ISO 9001 • ISO 14001